Quadrus Bold () *b*() *b*()

C colour included in the price



Quadrus Bold $1185 \text{ $\stackrel{\uparrow}{$\times$}} \times 450 \leftrightarrow \text{ E1}$ colour: RAL 3003

MOA heating element, chrome





C colour included in the price



Design : Terma

Standard connection:





Optional connection:



Available sizes:



Specification:

Working pressure: 1000 kPa Maximum operating temperature: 95°C

A ≎ [mm]	B↔ [mm]	C1 [mm]	C2 [mm]	75 65 20°c [W]	55 45 20°c [w]	(W)	D [mm]	E [mm]	F [mm]	[dm³]	(kg]	Product code Configuration code p. 5
870	450	50	420	531	285	600	420	690	90	4,11	15,70	WGQBA087045
870	600	50	570	708	380	800	570	690	90	5,08	20,24	WGQBA087060
1185	450	50	420	835	446	800	420	1005	90	5,57	21,23	WGQBA118045
1185	600	50	570	1113	594	1200	570	1005	90	6,88	27,38	WGQBA118060





Technical drawing:



 $\begin{array}{lll} \mathsf{A}-\mathsf{Height} & \mathsf{B}-\mathsf{Width} & \mathsf{C1}\mathsf{-}\mathsf{C5}-\mathsf{Distance} \text{ between pipe centres } & \mathsf{D}-\mathsf{Horizontal} \text{ distance} \text{ between mounting bracket centres} \\ \mathsf{E}-\mathsf{Vertical} \text{ distance} \text{ between mounting brackets } & \mathsf{F}-\mathsf{Distance} \text{ between a mounting bracket} \text{ and the bottom of the radiator} \\ \end{array}$



TERMA | www.termaheat.com

Quadrus Bold

colour included in the price



In the table with technical data, the last column lists product codes. When placing an order, please remember to quote the product code followed by the configuration code as shown in the diagram below:

The construction of a water and dual fuel radiator product and configuration code:

WGQBA087045

et () and

K916SX

PRODUCT CODE (located in the table for the product) CONFIGURATION CODE (supplemented by hand)

Example Configuration



Construction of electric heater configuration code:

WLQBA087045

K916E1DRYW

PRODUCT CODE (located in the table for the product) CONFIGURATION CODE (supplemented by hand)

Example Configuration



Package code Colour code Connection code *K* - *carton box*

Heating element code Type of heating element cable code

Epoxy primer

E – Code of epoxy primer is an extra processes.

WGQBA087045 K916SX E Extra processes or additions code

TERMA | www.termaheat.com

Quadrus Bold

Colour included in the price



Legend

0 40 HO

\diamond	Radiator available in a "water" version.
et S	Radiator suitable for dual fuel connection. Electric heating element can be installed.
₩©	Radiator available in electric only version. It comes prefilled with a 'heating medium' and equipped with a heating element. All tested and ready to use.
	Connection types dedicated for this radiator. The icon shows the flow and return connections for the radiator as well as the thermostatic valve and heating element position if applicable.
$\textcircled{\bigcirc}$	Suggested heating element power output for electric and dual fuel versions.
	Weight.
	Capacity.
A Cr	Available in chrome finish.



No additional payment for a color.