

NEW VALVES IN TERMA OFFER

available in full colour palette

TWINS ALL IN ONE Angled integrated thermostatic valve set

Available versions:



Connections:





The set contains:

Angled integrated thermostatic valve Thermostatic head M30 × 1.5 Integrated pipe-masking set

2 x adapter PEX, ALU-PEX 16×2 2 x adapter CU Ø 15





Readily available finishes: 916, S96, 9P5, 9M5, CRO.

Orientation	Colour	Product Conf. code p. 8. •
left	RAL and Terma spcecial colours *	TGETTWINL INSERT CODE
right	RAL and Terma spcecial colours *	TGETTWINP INSERT CODE

UNICO ALL IN ONE Integrated angled thermostatic valve with immersion tube



The set contains:

Integrated angled thermostatic valve with immersion tube Thermostatic head M30 × 1.5 Integrated pipe-masking set 2 x adapter PEX, ALU-PEX 16×2 2 x adapter CU Ø 15





Readily available finishes: 916, S96, 9P5, 9M5, CRO.

Orientation	Colour	Product Conf. code p. 8. >
left	RAL and Terma spcecial colours *	TGETUNICL INSERT CODE
right	RAL and Terma spcecial colours *	TGETUNICP INSERT CODE

INTEGRA ALL IN ONE 3-axis thermostatic valve and lockshield integrated with t-piece set

Available versions:



Connections:





The set contains:

3-axis thermostatic valve with T-piece for heating element assembly 3-axis lockshield valve with T-piece for heating element assembly Thermostatic head M30 \times 1.5

Pipe-masking set 2 x adapter PEX, ALU-PEX 16×2 2 x adapter CU Ø 15





Readily available finishes: 916, S96, 9P5, 9M5, CRO.

Orientation	n Colour	Product Conf. code code p. 8. →
left	RAL and Terma spcecial colours *	TGETINTEL INSERT CODE
right	RAL and Terma spcecial colours *	TGETINTEP INSERT CODE

VISION ALL IN ONE 3-axis thermostatic valve set

Available versions:



Connections:





The set contains:

3-axis thermostatic valve 3-axis lockshield valve

Thermostatic head M30 \times 1.5

Pipe-masking set 2 x adapter PEX, ALU-PEX 16×2 2 x adapter CU Ø 15



Readily available finishes: 916, S96, 9P5, 9M5, CRO.

Orientation	Colour	Product Conf. code code p. 8. >
left	RAL and Terma spcecial colours *	TGETVISIL INSERT CODE
right	RAL and Terma spcecial colours *	TGETVISIP INSERT CODE

VISION ALL IN ONE 3-axis manual valve set

Available versions:

Left Left right

Connections:





The set contains:

3-axis regulating valve 3-axis lockshield valve Pipe-masking set

2 x adapter PEX, ALU-PEX 16×2 2 x adapter CU Ø 15





Readily available finishes: 916, S96, 9P5, 9M5, CRO.

Orientation	Colour	Product Conf. code code p. 8. •
left	RAL and Terma spcecial colours *	TGERVISIL INSERT CODE
right	RAL and Terma spcecial colours *	TGERVISIP INSERT CODE

INTEGRATED PIPE-MASKING SET

Connections:





The set contains:

Double, rectangular masking cover for 50 mm connection, H-block valves 2 x masking sleeve 50 mm



Readily available finishes: 916, S96, 9P5, 9M5, CRO.

Colour	Product Conf. code code p. 8. •
RAL and Terma spcecial colours *	TGPZMRP1 INSERT CODE

CONFIGURATION CODE

Product codes can be found in product data sheet tables. The codes provide some basic information about the product while a partially filled configuration code contains complementary information about the detailed specifications. When placing an order, Product codes should include the fully completed configuration part. The configuration code part should be placed after the main Product code. The main product code and configuration part will appear as shown in the example below:

Code structure

TGETTWINL

K916

PRODUCT CODE (located in the table for the product) CONFIGURATION CODE (supplemented by hand)

Configuration



Package code K - karton

Colour code Colour code is for products available in RAL palette and special colours.

SET COLOUR OPTIONS

Readily available finishes:

White SOFT (KS96)
Black Mat (K9M5)
Chrome (KCRO)

White Gloss (K916)
Black Gloss (K9P5)
Image: Comparison of the sector of the sec

Available to order:



RAL and Terma special colours excluding: SOFT 4010, SOFT 4006, SOFT 3028, SOFT Green Apple, SOFT 1023, Black Crocodile New, Black Pepper, Silver Gloss, Chrome Effect, Antique Copper, Gold Gloss.

All information provided in this brochure was valid until printing. In accordance with the motto of Terma Sp. z o.o. that expresses the necessity of constant development, some technical features of products as well as their detail descriptions may vary in the future from their state at the time of this publication.



Czaple 100 80-298 Gdańsk Poland



