



TERMA

SINCE 1990



RADIATOR VALVES

IN THE TERMA COLOR PALETTE


Contents

Color options for valve kits	4
TWINS ALL IN ONE integrated thermostatic set	8
Integrated straight thermostatic set TWINS ALL IN ONE	11
Triaxial thermostatic set for installing the INTEGRA ALL IN ONE heater	12
Thermostatic set integrated with the INTEGRA DUO ALL IN ONE tee	15
VISION ALL IN ONE triaxial thermostatic set	16
VISION ALL IN ONE three-axis adjustment set	19
UNICO ALL IN ONE integrated thermostatic set with immersion tube	20
PREMIUM ALL IN ONE integrated shut-off set	23
ROYAL ALL IN ONE angular thermostatic set	24
Masking set	25
Construction of the configuration code	26

COLOR OPTIONS OF VALVE SETS


All information provided in this brochure was valid until printing. In accordance with the motto of Terma Sp. z o.o. that expresses the necessity of constant development, some technical features of products as well as their detail description may vary in the future from their state at the time of this publication.







STANDARD COLORS — available in stock















RAL PATTERN COLORS — available on request (gloss finish)

CODE — color name

 100 — RAL 1000	 121 — RAL 1021	 212 — RAL 2012	 322 — RAL 3022
 101 — RAL 1001	 123 — RAL 1023	 300 — RAL 3000	 327 — RAL 3027
 102 — RAL 1002	 124 — RAL 1024	 301 — RAL 3001	 328 — RAL 3028
 103 — RAL 1003	 127 — RAL 1027	 302 — RAL 3002	 331 — RAL 3031
 104 — RAL 1004	 128 — RAL 1028	 303 — RAL 3003	 401 — RAL 4001
 105 — RAL 1005	 132 — RAL 1032	 304 — RAL 3004	 402 — RAL 4002
 106 — RAL 1006	 133 — RAL 1033	 305 — RAL 3005	 403 — RAL 4003
 107 — RAL 1007	 134 — RAL 1034	 307 — RAL 3007	 404 — RAL 4004
 111 — RAL 1011	 137 — RAL 1037	 309 — RAL 3009	 405 — RAL 4005
 112 — RAL 1012	 200 — RAL 2000	 311 — RAL 3011	 406 — RAL 4006
 113 — RAL 1013	 201 — RAL 2001	 312 — RAL 3012	 407 — RAL 4007
 114 — RAL 1014	 202 — RAL 2002	 313 — RAL 3013	 408 — RAL 4008
 115 — RAL 1015	 203 — RAL 2003	 314 — RAL 3014	 409 — RAL 4009
 116 — RAL 1016	 204 — RAL 2004	 315 — RAL 3015	 410 — RAL 4010
 117 — RAL 1017	 208 — RAL 2008	 316 — RAL 3016	 500 — RAL 5000
 118 — RAL 1018	 209 — RAL 2009	 317 — RAL 3017	 501 — RAL 5001
 119 — RAL 1019	 210 — RAL 2010	 318 — RAL 3018	 502 — RAL 5002
 120 — RAL 1020	 211 — RAL 2011	 320 — RAL 3020	 503 — RAL 5003


 504 – RAL 5004	 611 – RAL 6011	 709 – RAL 7009	 801 – RAL 8001
 505 – RAL 5005	 612 – RAL 6012	 710 – RAL 7010	 802 – RAL 8002
 507 – RAL 5007	 613 – RAL 6013	 711 – RAL 7011	 803 – RAL 8003
 508 – RAL 5008	 614 – RAL 6014	 712 – RAL 7012	 804 – RAL 8004
 509 – RAL 5009	 615 – RAL 6015	 713 – RAL 7013	 807 – RAL 8007
 510 – RAL 5010	 616 – RAL 6016	 715 – RAL 7015	 808 – RAL 8008
 511 – RAL 5011	 617 – RAL 6017	 716 – RAL 7016 7M6 – MAT	 811 – RAL 8011
 512 – RAL 5012	 618 – RAL 6018	 721 – RAL 7021	 812 – RAL 8012
 513 – RAL 5013	 619 – RAL 6019	 722 – RAL 7022	 814 – RAL 8014
 514 – RAL 5014	 620 – RAL 6020	 723 – RAL 7023	 815 – RAL 8015
 515 – RAL 5015	 621 – RAL 6021	 724 – RAL 7024	 816 – RAL 8016
 517 – RAL 5017	 622 – RAL 6022	 726 – RAL 7026	 817 – RAL 8017
 518 – RAL 5018	 624 – RAL 6024	 730 – RAL 7030	 819 – RAL 8019
 519 – RAL 5019	 625 – RAL 6025	 731 – RAL 7031	 822 – RAL 8022
 520 – RAL 5020	 626 – RAL 6026	 732 – RAL 7032	 823 – RAL 8023
 521 – RAL 5021	 627 – RAL 6027	 733 – RAL 7033	 824 – RAL 8024
 522 – RAL 5022	 628 – RAL 6028	 734 – RAL 7034	 825 – RAL 8025
 523 – RAL 5023	 629 – RAL 6029	 735 – RAL 7035	 828 – RAL 8028
 524 – RAL 5024	 632 – RAL 6032	 736 – RAL 7036	 901 – RAL 9001
 600 – RAL 6000	 633 – RAL 6033	 737 – RAL 7037	 902 – RAL 9002
 601 – RAL 6001	 634 – RAL 6034	 738 – RAL 7038	 903 – RAL 9003
 602 – RAL 6002	 637 – RAL 6037	 739 – RAL 7039	 904 – RAL 9004
 603 – RAL 6003	 700 – RAL 7000	 740 – RAL 7040	 95P – RAL 9005 S95 – SOFT
 604 – RAL 6004	 701 – RAL 7001	 742 – RAL 7042	 906 – RAL 9006
 605 – RAL 6005	 702 – RAL 7002	 743 – RAL 7043	 907 – RAL 9007
 606 – RAL 6006	 703 – RAL 7003	 744 – RAL 7044	 910 – RAL 9010
 607 – RAL 6007	 704 – RAL 7004	 745 – RAL 7045	 911 – RAL 9011
 608 – RAL 6008	 705 – RAL 7005	 746 – RAL 7046	 916 – RAL 9016 J16 – MAT
 609 – RAL 6009	 706 – RAL 7006	 747 – RAL 7047 S77 – SOFT	 917 – RAL 9017
 610 – RAL 6010	 708 – RAL 7008	 800 – RAL 8000	 918 – RAL 9018


SPECIAL COLORS — available on request

							
Color Name	CODE	Storm Sky	SSK	Winter Sky	WSK	Copper	COP
							
Metallic Black	MBC	Graphite	GRP	Metallic Stone	MST	Bright Copper	BCO
							
Heban	IHE	Salt&Pepper	SPP	Sparkling Gravel	RGR	Lotus	LOT
							
Magic Pearl	MPR	Diamond Silver	DIS	California Beige	ICB	Sienna	SIA
							
Metallic Grey	MGR	Granite	GRA	Quartz	QUA	Aubergine	ABG
							
Anodic Black	ABC	Metallic Silver	MSI	Halo	HAL	Anodic Brown	ABN
							
Sterling	STE	Metallic Beige	MBE	Anodic Gold	AGO	Dark Bronze	DRB
							
Modern Grey	DGR	Silver Matt	SMA	Metallic Red	MRE	Noble Brown	INB
							
Sparkling Grey	RGY	Inox	INO	Groovy Red	GRR	Vibrant Brown	OVB



PREMIUM COLORS — available on request





Angled integrated thermostatic valve set

TWINS ALL IN ONE

color: Sparkling Grey

radiator: Michelle 1200x500 mm

color: Sparkling Grey / RAL 2003



The Terma TWINS ALL IN ONE set is a great solution for people who value modernity and functionality, ensuring precise temperature control in your home. High quality workmanship and a variety of colors make the set a perfect match for any type of radiator, emphasizing its elegance and style. It also ensures comfort and energy savings.

Angled integrated thermostatic valve set


TWINS ALL IN ONE

Angled integrated thermostatic valve
Thermostatic head M30×1.5
Integrated pipe-masking
2 x adapter PEX, ALU-PEX 16×2
2 x adapter CU Ø 15


AVAILABLE VERSIONS:



CONNECTIONS:



The valve should be installed in accordance with the specified direction of the heating medium flow and return.



Orientation	Color	Product code	Config. code p. 26
left	RAL / SPECIAL / PREMIUM (info p. 4-7)	TGETTWINL	INSERT CODE
right	RAL / SPECIAL / PREMIUM (info p. 4-7)	TGETTWINP	INSERT CODE

Straight integrated thermostatic valve set

TWINS ALL IN ONE

NEW

Integrated straight thermostatic valve

Thermostatic head M30 × 1.5

Masking set

2 × PEX adapter, ALU-PEX 16×2


2 × CU adapter Ø 15



CONNECTIONS:



The valve should be installed in accordance with the specified direction of the heating medium flow and return.



Color

RAL / SPECIAL / PREMIUM (info p. 4-7)

Product code

TGETTWINS

[Config. code p. 26](#)

[INSERT CODE](#)



3-axis thermostatic set for mounting a heating element

INTEGRA ALL IN ONE

color: Old Bronze

radiator: Quadrus Slim 1185x600 mm

color: Old Bronze

heating element: VEO with cable cover

color: White / Old Bronze



The Terma INTEGRA ALL IN ONE set is an innovative solution that combines precise temperature control with the possibility of easy installation of the heater. High quality workmanship and a variety of colors make the set a perfect match for any type of radiator, emphasizing its elegance and style. It also ensures comfort and energy savings.

3-axis thermostatic set for mounting a heating element


INTEGRA ALL IN ONE

- 3-axis thermostatic valve with the possibility of installing a heating element
- 3-axis shut-off valve with the possibility of installing a heating element
- Thermostatic head M30x1.5
- Masking set
- 2 x PEX adapter, ALU-PEX 16x2
- 2 x CU adapter Ø 15

AVAILABLE VERSIONS:



CONNECTIONS:



The valve should be installed in accordance with the specified direction of the heating medium flow and return. The design of the kit allows the heater to be installed on each of the valves, however, for safety reasons, we recommend placing it on the cut-off valve. **NOTE:** The kit does not allow the installation of TERMA REG 2 and REG 3 heaters.



Orientation	Color	Product code	Config. code p. 26
left	RAL / SPECIAL / PREMIUM (info p. 4-7)	TGETINTEL	INSERT CODE
right	RAL / SPECIAL / PREMIUM (info p. 4-7)	TGETINTEP	INSERT CODE

Thermostatic set integrated with the T-piece

INTEGRA DUO ALL IN ONE

NEW

Thermostatic valve combined with a tee
 Thermostatic head M30 × 1.5
 Masking set
 2 x PEX adapter,
 ALU-PEX 16×2
 2 x CU adapter Ø 15



AVAILABLE VERSIONS:**CONNECTIONS:**

only for models with collectors
 50 mm apart along the axis
 (only applies to radiators
 WARP S, IRON S, IRON D)



only for models with collectors spaced 50 mm apart (applies only to MICHELLE radiator)

The valve should be installed in accordance with the specified direction of the heating medium flow and return.



Orientation	Color	Product code	Config. code p. 26
left	RAL / SPECIAL / PREMIUM (info p. 4-7)	TGETIDUOL	INSERT CODE
right	RAL / SPECIAL / PREMIUM (info p. 4-7)	TGETIDUOP	INSERT CODE



3-axis thermostatic valve set

VISION ALL IN ONE

color: RAL 5025

radiator: Easy 1920x200 mm

color: RAL 5025



The Terma VISION ALL IN ONE set ensures a consistent interior appearance and excellent functionality. High quality workmanship and a variety of colors make the set a perfect match for any type of radiator, emphasizing its elegance and style.

3-axis thermostatic valve set

VISION ALL IN ONE

- 3-axis thermostatic valve
- 3-axis lockshield valve
- Thermostatic head M30x1.5
- Pipe-masking set
- 2 x adapter PEX, ALU-PEX 16x2
- 2 x adapter CU Ø 15

AVAILABLE VERSIONS:




CONNECTIONS:




The valve should be installed in accordance with the specified direction of the heating medium flow and return.


3-axis thermostatic valve



3-axis lockshield valve



Pipe-masking set




Orientation	Color	Product code	Config. code p. 26
left	RAL / SPECIAL / PREMIUM (info p. 4-7)	TGETVISIL	INSERT CODE
right	RAL / SPECIAL / PREMIUM (info p. 4-7)	TGETVISIP	INSERT CODE

3-axis manual valve set

VISION ALL IN ONE

- 3-axis regulating valve
- 3-axis lockshield valve
- Pipe-masking set
- 2 x adapter PEX, ALU-PEX 16x2
- 2 x adapter CU Ø 15


AVAILABLE VERSIONS:




CONNECTIONS:




3-axis regulating valve



3-axis lockshield valve



Pipe-masking set



Orientation	Color	Product code	Config. code p. 26
left	RAL / SPECIAL / PREMIUM (info p. 4-7)	TGERVISIL	INSERT CODE
right	RAL / SPECIAL / PREMIUM (info p. 4-7)	TGERVISIP	INSERT CODE



Integrated angled thermostatic valve with immersion tube

UNICO ALL IN ONE

color: Red Wine

radiator: Grid 1830x500 mm

color: Red Wine

heating element: VEO with cable cover

color: Black / Red Wine



The UNICO ALL IN ONE integrated thermostatic set with an immersion tube is an ideal solution for single-hole connections. It will also work exceptionally well as a radiator for central heating installations, with a built-in heater One or in other connections with a heater. Thanks to its elegant design and advanced technology, it ensures comfort and energy savings.

Integrated angled thermostatic valve with immersion tube

UNICO ALL IN ONE

Integrated angled thermostatic valve with immersion tube
Thermostatic head M30×1.5
Integrated pipe-masking set
2 x adapter PEX, ALU-PEX 16×2
2 x adapter CU Ø 15




AVAILABLE VERSIONS:



CONNECTIONS:



The valve should be installed in accordance with the specified direction of the heating medium flow and return.



Orientation	Color	Product code	Config. code p. 26
left	RAL / SPECIAL / PREMIUM (info p. 4-7)	TGETUNICL	INSERT CODE
right	RAL / SPECIAL / PREMIUM (info p. 4-7)	TGETUNICP	INSERT CODE

Integrated lockshield valve set

PREMIUM ALL IN ONE

NEW

Integrated lockshield valve

Thermostatic head M30 × 1.5


Masking set

Pipe masking set 1/2" 50 mm

Adapter for alupex M 22x1.5



CONNECTIONS:



Color

Product code

[Config. code p. 26](#)

RAL / SPECIAL / PREMIUM (info p. 4-7)

TGETPREMK

[INSERT CODE](#)

Thermostatic angle set

ROYAL ALL IN ONE


NEW

Angled valve Royal GW 1/2"
 Pipe masking set 1/2" 50 mm
 Angled lockshield valve Swing GW 1/2"
 Thermostatic head M30 x 1.5
 Single pipe masking set Ø 22
 Adapter for alupex M 22x1.5
 2 x adapter CU Ø 15

AVAILABLE VERSIONS:



CONNECTIONS:






The valve should be installed in accordance with the specified direction of the heating medium flow and return.

Thermostatic valve

Shut-off valve

Pipe-masking set



Color
 RAL / SPECIAL / PREMIUM (info p. 4-7)

Product code
 TGETROYTK




Config. code p. 26
 INSERT CODE

Integrated pipe-masking set

Double, rectangular masking cover for 50 mm connection, H-block valves
2 x masking sleeve 50 mm




CONNECTIONS:



Color	Product code	Config. code p. 26
RAL / SPECIAL / PREMIUM (info p. 4-7)	TGPZMRP1	INSERT CODE

Configuration code

The tables on product technical data sheets contain product codes that provide basic information about the products. To specify product properties, product codes should be supplemented with the full configuration code. The configuration code should be placed in the string after the product code as in the example below:





All information provided in this brochure was valid until printing. In accordance with the motto of Terma Sp. z o.o. that expresses the necessity of constant development, some technical features of products as well as their detail description may vary in the future from their state at the time of this publication.

